


Leica Cyclone BASIC

Comprehensive laser scan software for field & office



Easily manage which ScanWorld is visible in the ScanWorld Explorer



3D Limit boxes allow users to focus in on specific areas

Redlines enable better communication with others in the project

Ability to quickly measure between scan points and/or modelled objects

Powerful and affordable 3D point cloud visualisation, measurement, mark up, and data exchange software for professionals.

Leica Cyclone BASIC provides professionals with a set of tools for efficiently managing and executing laser scanning/digital reality projects.

Professionals can collect and analyse point cloud data, while collaborating for better informed project decisions.

In the office, Cyclone BASIC enables the viewing and navigating of point clouds and 3D models, as well as measurement and mark up/redlining. Cyclone BASIC is a versatile back office data exchange module, supporting import and export of most industry accepted of formats.

Features and Benefits

- Fly Mode for smooth, 3D fly-through navigation, including 3D mouse support
- Measurements between scan points and/or modelled surfaces
- Mark up scan images with redline tools
- Field geo-reference, auto-registration, traverse, resection, and known point set up*
- Import Cyclone REGISTER 360 project file
- Import LGS (universal Leica Geosystems digital reality file)
- View assets from imported Leica RTC360 projects
- Ortho Image Extraction

leica-geosystems.com



- when it has to be **right**

Leica
Geosystems

PART OF
HEXAGON

Leica Cyclone BASIC

Point cloud scanning, visualisation, measurement, mark up and data exchange



Import and analyse scan data from all Leica Geosystems and most third party scanners and export in most industry accepted formats.

Powerful 3D Navigation and Visualisation

Cyclone BASIC lets users work efficiently with rich laser scan data sets numbering in the hundreds or even thousands of scans. And for improved comprehension of point clouds, advanced visualisation modes Cyclone BASIC allows users to see “through” walls, apply shaded rendering, enhance edge display and more. Additional visualisation tools such as layers and 3D Limit Boxes allow users to efficiently focus on specific areas of laser scan and model data.

Users can smoothly fly through and around point clouds, as well as pan, zoom, and rotate views. Cyclone’s Level of Detail display tools provide highly efficient 3D visualisation and manipulation of even the largest point clouds and models.

Scan Data Management, Measurement and Mark up

Import scan data from virtually any scanner and export in popular formats as needed. After import, users can access a rich set of tools for measuring directly between selected scan points and/or modelled surfaces. Measurements stored during one session can be recalled later and managed by any user to allow for seamless collaboration. Users can also easily mark up scan images with redline tools to effectively communicate with others. Redline Manager allows users to handle multiple mark ups at once, including providing appropriate view points for individual redlines.

Leica Cyclone BASIC Specifications*		Hardware and System Requirements
Workflow	Automatic target acquisition, Traverse & Resection	Minimum Specifications
Control data	Auto compare control data to scan data In-field data geo-referencing	Processor: 2.0 GHz Dual Core processor or better
Camera	Acquire and display digital image (scanner with internal or external camera)	RAM: 2 GB (4 GB for Windows Vista or Windows 7)
Viewing	Full 3D fly, pan, zoom, rotate; including 3D mouse support. Control color mapping using intensity, true-colour, gray scale, colour by elevation, etc.	Hard disk: 40 GB
Import	Point data formats: XYZ, PTS, PTX, LAS, E57, ZFS, DP Project data from Leica HDS and Pegasus scanners Image and model data: COE, BMP, TIFF, JPEG, PNG Control data from ASCII & X-Function DBX Leica Geosystems universal digital reality file (LGS)	Display: SVGA or OpenGL accelerated graphics card (with latest drivers)
Export	Point data formats: XYZ, PTS, PTX, E57, DXF, PCI/CWF, DBX, Land XML Image and model data: COE, BMP, TIFF, JPEG, PNG Publish Leica Geosystems universal digital reality file (LGS)**** Publish to JetStream Enterprise** Publish to TruView Enterprise or TruView Local*** Publish to TruView Cloud	Supported operating systems: Windows 7 (32 or 64 bit), Windows 8 & 8.1 (64 bit only), Windows 10 (64 bit only)
		File system: NTFS
		Recommended Specifications
		Processor: 3.0 GHz Quad Core w/ Hyper-threading or higher
		RAM: 32 GB's or more 64 bit OS
		Hard disk: 500 GB SSD Drive
		Large project disk option: RAID 5, 6, or 10 w/ SATA or SAS drives
		Display: Nvidia GeForce 680 or ATI 7850 or better, with 2 GB's memory or more
		Operating system: Microsoft Windows 7 – 64bit
		File system: NTFS

Windows is a registered trademark of Microsoft Corporation. Other trademarks and trade names are those of their respective owners.

Illustrations, descriptions and technical data are not binding. All rights reserved.
Printed in Switzerland – Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2016.
817150en – 08.18

- * Reference the Leica Cyclone & CloudWorx Technical Specifications document for a complete listing of product specifications.
- ** Enabled by separate Cyclone JetStream PUBLISHER License or Cyclone PUBLISHER Pro.
- *** Enabled by separate Cyclone TruView PUBLISHER License or Cyclone PUBLISHER Pro.
- **** With Cyclone PUBLISHER Pro License.